

KM 100/100 R Bp Pack


Comfortable, modern ride-on sweeper for professional use indoors and outdoors for areas from $6.000 \text{ m}^2/\text{h}$ to $7.800 \text{ m}^2/\text{h}$.











- 1 Impact protection
- Protects the sweeper and obstacles within the area being cleaned.
- 3 Easy to maintain
- Filter and roller brush easy to remove without tools for flexible maintenance.

2 Large filter area with automatic filter cleaning system

- The filter is automatically cleaned when the machine is switched off

 for continuous low-dust sweeping for long periods of uninterrupted
 use.
- Filter cleaning can also take place manually.

4 EASY Operation operating concept

- Clear and logical arrangement of all controls in the handle and field of view for ease of use.
- Standard symbols for all Kärcher sweepers.

TECHNICAL DATA AND EQUIPMENT





KM 100/100 R Bp Pack

- Automatic filter cleaning system
- Electric traction drive
- Emission-free operation

Tachnical data		
Technical data		
Order no.		1.280-112.0
EAN code		4039784468603
Drive		DC motor
Drive - power	V / kW	24 / 2.1
Max. area performance	m²/h	6000
Working width	mm	700
Working width with one side brush	mm	1000
Working width with 2 side brushes	mm	1300
Battery capacity	Ah	240
Battery voltage	V	24
Waste container	1	100
Climbing ability	%	15
Working speed	km/h	6
Filter area	m²	6
Weight	kg	540
Dimensions (L x W x H)	mm	2006 × 1005 × 1343
Faurinment		

Equipment			
Polyester round filter		Suction	
Manual filter cleaning		Outdoor use	
Automatic filter cleaning	•	Indoor use	
Traction driveTraction drive	electric	Battery display	
Floating main sweeper roller		Elapsed time counter	
Suction volume regulation		Sweeping function can be deactivated	
Coarse dirt flap		Wheels, pneumatic-tyred	
Battery and built-in charger included			
Overhead sweeping principle			
Forward traction drive			
Reverse traction drive			
Included in the scope of supply.			







		Order no.	Installation ex works	Battery volt- age	Battery capaci- ty	Battery type	Price	Description
Traction batteries								
Battery	1	6.654-112.0		24 V	240 Ah			With central filling system.
Chargers								
Charger	2	6.654-143.0		24 V		built-in		For charging battery 6.654-112.0.

[■] Included in the scope of supply.

□ Available accessories.





MISSING PICTURE: M:\print\6905578_ dd_1_100603_acc. tif

2







						1	
		Order no.	Installation ex works	Length / width	Diame- ter	Price	Description
Round filter							
Round filter	1	6.414-532.0					Moisture-proof, washable single round filter for Kärcher sweepers. Filter noticeably reduces maintenance costs.
Standard roller brush							
Standard roller brush	2	6.906-375.0		700 mm	285 mm		Water-resistant universal bristles, durable, suitable for all surfaces.
Main sweeper roller, soft							
Main sweeper roller, soft/natural	3	6.906-533.0		700 mm	285 mm		With natural bristles, ideal for sweeping fine dust on smooth surfaces in both inside and outside areas.
Main sweeper roller, hard							
Main sweeper roller, hard	4	6.906-532.0		700 mm	285 mm		For the removal of stubborn dirt outdoors
Main sweeper roller, antistatic							
Main roller brush, antistatic	5	6.906-534.0		700 mm	285 mm		For sweeping surfaces subject to static build up (e.g. carpets, artificial turf)

[■] Included in the scope of supply.

□ Available accessories.







		Order no.	Installation ex works	Length / width	Diame- ter	Price	Description
Standard side brushes							
Standard side brush	1	6.905-986.0			450 mm		Standard side brush with moisture-proof universal bristles for normal soiling on all surfaces. Extremely durable.
Side brush, soft							
Soft side brush	2	6.906-133.0			450 mm		Sweeps fine dust on all surfaces, moisture-proof, for indoors $\hfill\Box$

 $[\]blacksquare$ Included in the scope of supply. \qed Available accessories.





		Order no.	Quantity	Battery volt-	Battery capaci- ty	Battery type	Price	Description	
Accessories for batteries									
Box with wall holder	1	2.641-243.0	1 piece(s)					Supply system for charging wet batteries, the batteries can be filled easily, time saving. Mount the box 4 meters high.	

[■] Included in the scope of supply.

□ Available accessories.









		Order no.	Installation ex works		Price	Description	
Lighting							
Working lights	1	2.640-551.0	2.640-551.7			For better visibility, e.g. in underground garages or warehouses	
Protective roof with 360° warning	beacor	n					
Protective roof for operators with flashing beacon	2	2.640-496.7	2.640-496.7			Necessary for operating sweeper in high-bay warehouses. Complies with IEC 60335-2-72	
Warning beacon							
Flashing beacon	3	2.643-886.0	2.643-886.7				
Side brushes, left							
ABS 2. Side brush, left	4	2.851-050.0	2.851-050.7			Complete, incl. standard side brush to increase area swept	
	5	2.640-284.0				Complete, including standard side brushes for excellent cleaning results (up to serial number 11857).	

 $[\]blacksquare$ Included in the scope of supply. \qed Available accessories.





		Order no.	Installation ex works		Price	Description	
Tyres, puncture-proof							
Puncture-proof tyres (set), solid rubber, non-marking	1	2.641-129.7	2.641-129.7			Avoid tyre marks on light surfaces	